



23121

## Diluting Fluid D

Part D

### Specifications

Appearance (Colour)	Light cream
Appearance (Form)	Free flowing, homogeneous powder
Solubility	2.00 gm/liter
pH (25°C)	7.1 ± 0.2
Prepared Medium Appearance after autoclaving (Clarity)	Clear solution
Prepared Medium Appearance after autoclaving (Colour)	Light to medium amber
Cultural Response	Inoculate and incubate at 35°C - 37°C for 24-48 hours
Organism	Candida albicans ATCC 10231
Inoculum (cfu) 10-100	Growth : Good
Organism	Bacillus subtilis ATCC 6633
Inoculum (cfu) 10-100	Growth : Good

### Other Information

#### Applications

Used for sterility testing of pharmaceutical products in accordance with USP.

#### Composition

Ingredients	gm/lt.
Peptic digest of animal tissue	1.00
Polysorbate 80	1.00 ml

#### Directions

1. Add 2.00 gm powder to 1.0 liter of distilled/purified water and mix thoroughly.
2. Gently heat and bring to boiling.
3. Autoclave at 15 psi pressure at 121°C for 15 minutes.
4. Dispense into tubes or as desired.

### General Information

Storage	8 to 25°C (Cool & Dry Area)
IMDG Identification	Not Regulated for Transport (Non-Haz)
HSN Code	
100 Gms	38210000 (GST 18%)
500 Gms	38210000 (GST 18%)

## Available Packages

100 Gms

500 Gms

---

### Disclaimer

The information represented here may/may not represent the entire product specification, application or protocol recommended by Sisco Research Laboratories Pvt. Ltd. (SRL). This information is for the user scientists or trading community as a guide in their applications. The company claims no liability for misuse resulting due to wrong usage of the information above. For actual batch related documents, mail us.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099, Maharashtra, India. Telephone: +91-22-4268 5800, Email: [info@srchem.com](mailto:info@srchem.com), website [www.srchem.com](http://www.srchem.com)

---