



88277

Ashby's Glucose Agar

Part D

Specifications

Appearance (Colour)	Off white
Appearance (Form)	Free flowing, homogeneous powder
Solubility	40.70 gm/liter
Solubility before autoclaving (Clarity)	Opalescent
Gel strength (1.5% gel)	Firm, comparable with 1.5% gel
pH (25°C)	7.4 ± 0.2
Prepared Medium Appearance after autoclaving (Clarity)	Slightly opalescent
Prepared Medium Appearance after autoclaving (Colour)	Whitish
Cultural Response	Inoculate and incubate at 37°C for 5 days
Organism	Azotobacter vinelandii ATCC 478
Inoculum (cfu) 10-100	Growth : Good
Organism	Azotobacter nigricans ATCC 35009
Inoculum (cfu) 10-100	Growth : Good

Other Information

Applications

For the cultivation of Azotobacter species that can utilize glucose as carbon and atmospheric nitrogen as nitrogen source.

Composition

Ingredients	gm/lt.
Glucose	20.00
Dipotassium phosphate	0.20
Magnesium sulphate	0.20
Sodium chloride	0.20
Potassium sulphate	0.10
Calcium carbonate	5.00
Agar	15.00

Directions

1. Add 40.70 gm powder to 1.0 liter distilled/purified water and mix thoroughly.
2. Gently heat and bring to boiling.
3. Autoclave at 15 psi pressure at 121°C for 15 minutes.

General Information

Storage	2 to 8°C (Refrigerate)
Shelf Life	36 Months

IMDG Identification

Not Regulated for Transport (Non-Haz)

HSN Code

100 Gms

38210000 (GST 18%)

500 Gms

38210000 (GST 18%)

Type of Packing

100 Gms

Plastic Bottle

500 Gms

Plastic Bottle

Available Packages

100 Gms

500 Gms

Disclaimer

The information represented here may/may not represent the entire product specification, application or protocol recommended by Sisco Research Laboratories Pvt. Ltd. (SRL). This information is for the user scientists or trading community as a guide in their applications. The company claims no liability for misuse resulting due to wrong usage of the information above. For actual batch related documents, mail us.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099, Maharashtra, India. Telephone: +91-22-4268 5800, Email: info@srchem.com, website www.srchem.com
