



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	24017 - N,N-Dimethylformamide (DMF) for molecular biology, 99.9% - [68-12-2]
Batch No	6834362
Analysis Date	15-Mar-2021
Date of Manufacture	March 2021
Expiry Date/Re-Test Date	March 2026
Molecular Formula	C ₃ H ₇ NO
Molecular Weight	73.10

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max.10	Passes
Assay (GC)	min. 99.9%	99.9%
Density (g/ml) @ 20°C	0.947-0.949	0.947
Refractive Index (20°C)	1.429-1.431	1.429
Boiling Range	151-154°C	151-152°C
Non Volatile Matter	max. 0.0005%	0.0002%
Acidity (HCOOH)	max. 0.0005%	0.0004%
Water (KF)	max. 0.03%	0.03%
%T (Transmission) in a 1cm cell v/s H ₂ O		.
@270nm	≥30	31
@275nm	≥65	70
@280nm	≥75	78
@290nm	≥85	89
@295nm	≥88	95
@300nm	≥90	98
@310nm	≥95	100
@320nm	≥97	100
@330nm	≥98	100
@340-400nm	≥99	100
(after purging with N ₂ for 15 min.)		

FRM/82/11/2/24017 Rev No. 1 Date 01/11/2015

Prepared by **Rajashri**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

an ISO 9001-2015 Certified Company

This COA has been generated electronically and it is valid without signature.