



Circular-V

DT:-18.01.2018

Dear All,

With reference to the SRL Catalogue 2017-18, we hereby notify the Amendments as mentioned below. We request you to incorporate the below mentioned amendments while placing your valuable orders.

Product Code & Part	Product Name	Unit	Correction/ Revisions & Addition	Catalogue Printed
10498 Part B	2-Amino-5-Chloro Benzophenone pure, 98%	100 Gms	3150.00	760.00
		500 Gms	15400.00	3358.00
			2-Amino-5-Chlorobenzophenone pure, 98%	2-Amino-5-Chloro Benzophenone pure, 98%
82829 Part A	Antimony Trisulphide pure, 98%		Antimony Trisulfide pure, 98%	Antimony Trisulphide pure, 98%
31269 Part B	Calcium Pantothenate pure, 98%	10 Gms	320.00	119.00
		25 Gms	750.00	249.00
		100 Gms	2480.00	868.00
			Calcium-D-Pantothenate pure, 98%	Calcium Pantothenate pure, 98%
62506 Part B	Chitosan Tetramer extrapure, 98%	5 Mg	26000.00	10760.00
		10 Mg	Discontinued	20659.00
80517 Part B	Chitosan Pentamer extrapure, 98%	5 Mg	No Change	12554.00
		10 Mg	Discontinued	24102.00
36824 Part B	Chitotriose Hexamer extrapure, 98%	5 Mg	52000.00	25106.00
		10 Mg	Discontinued	48203.00
17691 Part B	2-Chloro-3,5-Dinitro Pyridine extrapure AR, 99%	1 Gms	No Change	4021.00
		5 Gms	12350.00	15078.00
			2-Chloro-3,5-Dinitropyridine extrapure AR, 99%	2-Chloro-3,5-Dinitro Pyridine extrapure AR, 99%
37917 Part A	Cobalt (II) Carbonate pure, 97%	100 Gms	2200.00	1199.00
		500 Gms	7900.00	5274.00



19151 Part C	Diamond Nanopowder		7782-40-3	1904-98-9
86283 Part B	p-Diethylamino Benzaldehyde pure, 98%		p-Diethylaminobenzaldehyde pure, 99% Assay: min.99%	p-Diethylamino Benzaldehyde pure, 98% Assay: min.98%
33878 Part B	2,6-Dihydroxytoluene pure, 98% (2,6-Dihydroxytoluene)		2-Methylresorcinol pure, 98%	2,6-Dihydroxytoluene pure, 98%
17315 Part B	DL-Dithiothreitol (DTT) for molecular biology, 98%		3483-12-3	3483-12-4
46220 Part B	DL-Dithiothreitol (DTT) ExiPlus™, 98%		3483-12-3	3483-12-4
84834 Part B	DL-Dithiothreitol (DTT) extrapure, 98%		3483-12-3	3483-12-4
42442 Part B	5-(4-Dimethylaminobenzylidene) Rhodanine pure, 98%	5 Gms	1600.00	3123.00
20790 Part B	Enrofloxacin (EFX), 98%	5 Gms	1600.00	4392.00
60096 Part B	Ferulic Acid pure, 98%	5 Gms	680.00	542.00
		10 Gms	Discontinued	1017.00
		25 Gms	1980.00	2438.00
		50 Gms	Discontinued	3786.00
		100 Gms NEW	7000.00	
49244 Part B	Forchlorfenuron (KT-30, CPPU, N-(2-Chloro-4-pyridyl)-N-phenylurea) technical grade, 99%	1 Gms	2500.00	4021.00
		5 Gms	8000.00	15078.00
99124 Part B	2-Furoyl Chloride pure, 95%		2-Furoyl Chloride pure, 98%	2-Furoyl Chloride pure, 95%
			Assay: min.98%	Assay: min.95%



65048 Part C	Mesoporous Alumina Nanopowder (3D-Wormhole)		Zeolite - Mesoporous Alumina Nanopowder (3D-Wormhole)	Mesoporous Alumina Nanopowder (3D-Wormhole)
19366 Part C	Mesoporous Carbon Nanopowder (CMK-3 Type)		Zeolite - Mesoporous Carbon Nanopowder (CMK-3 Type)	Mesoporous Carbon Nanopowder (CMK-3 Type)
63876 Part C	Mesoporous Silica Nanopowder (3D-Cubic MCM-48 Type)		Zeolite - Mesoporous Silica Nanopowder (3D-Cubic MCM-48 Type)	Mesoporous Silica Nanopowder (3D-Cubic MCM-48 Type)
83881 Part C	Mesoporous Silica Nanopowder (1D-Hexagonal SBA-15 Type)		Zeolite - Mesoporous Silica Nanopowder (1D-Hexagonal SBA-15 Type)	Mesoporous Silica Nanopowder (1D-Hexagonal SBA-15 Type)
97621 Part C	Mesoporous Silica Nanopowder (1D-Hexagonal SBA-41 Type)		Zeolite - Mesoporous Silica Nanopowder (1D-Hexagonal SBA-41 Type)	Mesoporous Silica Nanopowder (1D-Hexagonal SBA-41 Type)
83005 Part C	Molybdenum Disulfide Nanopowder Lubricant Grade	5 Gms	10500.00	13440.00
		10 Gms	19800.00	24000.00
44002 Part A	Palladium 5% On Activated Charcoal extrapure	10 Gms	5550.00	3501.00
52944 Part A	Palladium 10% On Activated Charcoal	10 Gms	10250.00	6712.00
92345 Part A	Palladium 5% On Asbestos extrapure	10 Gms	8150.00	4699.00
57033 Part A	Palladium 10% On Asbestos extrapure	10 Gms	12500.00	8629.00
90179 Part A	Phenolphthalein extrapure AR, 99%	100 Gms	480.00	403.00
		500 Gms	2150.00	2014.00
74785 Part A	Phenolphthalein extrapure AR, ACS, ExiPlus™, 99%	100 Gms	520.00	442.00
		500 Gms	2350.00	2205.00



14215 Part B	Sodium Polyanethol Sulphonate extrapure	1 Gms	255.00	977.00
		5 Gms	1150.00	2831.00
		25 Gms	5200.00	7808.00
61832 Part A	Strontium Chloride Hexahydrate extrapure, 98%	250 Gms	No Change	259.00
		500 Gms	470.00	375.00
45764 Part B	Thymidine-5-Monophosphate Disodium Salt (TMP-Na ₂) extrapure, 98%	100 Mg	1250.00	980.00
		250 Mg	2800.00	2015.00
55788 Part A	Titanium Dioxide extrapure, 99%		Titanium Dioxide extrapure, 98%	Titanium Dioxide extrapure, 99%
			Assay: min.98%	Assay: min.99%
94870 Part B	Tyrosinase (Polyphenol Oxidase) ex. Mushroom, 2000U/mg		Tyrosinase (Polyphenol Oxidase) ex. Mushroom, 1000U/mg Activity: min. 1000U/mg solids	Tyrosinase (Polyphenol Oxidase) ex. Mushroom, 2000U/mg Activity 2000U/mg solids
42618 Part B	1,2,4-Triazole pure, 98%	100 Gms	660.00	515.00
		500 Gms	3100.00	2450.00
68989 Part B	Trimethyl Orthoformate pure, 98%	500 ml	3500.00	958.00
		2500 ml	15000.00	4468.00
76205 Part A	Zinc Acetate Dihydrate extrapure AR, 99.5%		5970-45-6	5907-45-6



New Products Introduced in our catalogue 2017-18

Product Code & Part	Product Name	Unit	Catalogue price per Unit
67801 Part C	Antimony Trioxide Nanopowder CAS: 1309-64-4, MF:- Sb2O3, MW 291.50, Assay: min. 99.9%, APS: 80-200nm (Diantimony trioxide)	5 Gms	1200.00
		25 Gms	3500.00
71476 Part D	BG-11 Broth (Blue-Green Medium) For culture and maintenance of cyanobacteria. Concentration: 1.627g/lit	100 Gms	1050.00
		500 Gms	3700.00
25898 Part B	4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic acid sodium salt) CAS: 14110-97-5, MF:- C6H4ClHgNaO3S, M.W. 415.19, Assay : min.95% A useful sulfhydryl reagent that reacts with Histidine. More soluble than p-chloromercuribenzoic acid.	10 Mg	25000.00
42436 Part D	ChroMed Chromogenic Coliform Agar (CCA) (I) CAS: 9308-1:2014 For detection of Escherichia coli and coliforms in water samples as per ISO standards	100 Gms	5150.00
		500 Gms	22850.00
85675 Part A	Dragendorff's Reagent Test reagent for alkaloids	125 ml	1400
57400 Part B	L-Glucono-1,5-Lactone pure, 85% (3,4,5-Trihydroxy-6-(hydroxymethyl)tetrahydro-2H-pyran-2-one; L-Gluconolactone) CAS: 52153-09-0, MF: C6H10O6, MW 178.14, Assay:-min. 85%	25mg	6800.00
59538 Part A	Graphite Synthetic (Type 1) pure, 98% C, 50mesh CAS: 7782-42-5, MF: C, M.W. 12.01, Carbon Content min.98%, Dark grey to black powder/flakes, Particle Size (80% passes through): 50mesh (300um)	500 Gms	250.00
		2.5 Kgs	1150.00
19123 Part A	Graphite Synthetic (Type 2) pure, 97% C, 100mesh CAS: 7782-42-5, MF: C, M.W. 12.01, Carbon Content min.97%, Dark grey to black powder/flakes, Particle Size (90% passes through): 100mesh (150um)	500 Gms	350.00
		2.5 Kgs	1650.00
26870 Part A	Graphite Synthetic (Type 3) pure, 96% C, 325mesh CAS: 7782-42-5, MF: C, M.W. 12.01, Carbon Content min.96%,	500 Gms	550.00
		2.5 Kgs	2650.00



	Dark grey to black powder/flakes, Particle Size (80% passes through): 325mesh (44um)		
59345 Part A	Graphite Synthetic (Type 4) pure, 96% C, 625mesh CAS: 7782-42-5, MF:C, M.W. 12.01, Carbon Content min.96%, Dark grey to black powder, Particle Size (80% passes through): 625 mesh (20um)	500 Gms 2.5 Kgs	900.00 4200.00
40415 Part A	Iodine Pentoxide extrapure AR, 99% CAS: 12029-98-0, MF:I2O5, M.W. 333.81, Assay: min 99%	25 Gms 100 Gms	2400.00 4800.00
66098 Part A	Iodine Monochloride Solution (1M in Acetic Acid) (Wij's Solution) extrapure CAS: 7790-99-0, MF: ICl Synonym: Chloriodide solution	250ml 500ml	520.00 950.00
67892 Part A	Iodine Monochloride extrapure, 98% CAS: 7790-99-0, MF: ICl, M.W. 162.36, Assay: min.98%	25 Gms 100 Gms 250 Gms	800.00 1450.00 3300.00
52726 Part C	Lithium Iron (II) Phosphate Micronpowder (Ferrous lithium phosphate, Iron lithium phosphate, LFP, Triphylite) CAS: 15365-14-7, MF: LiFePO4, M.W. 157.76, Assay: min.98%, APS: 2micron (Lithium-Ion Cathode Battery material)	5 Gms 25 Gms	4800.00 9600.00
25511 Part D	Marine Agar 2216 (Zobell) Used for cultivation of heterotrophic marine bacteria. Concentration: 55.25g/lit	100 Gms 500 Gms	880.00 3650.00
54174 Part D	Marine Broth 2216 (Zobell) Used for cultivation of heterotrophic marine bacteria. Concentration: 40.25g/lit	100 Gms 500 Gms	790.00 3375.00
44055 Part A	Methyl-4-Hydroxybenzoate (Methyl Paraben) ExiPlus, 98-102% meets compendial specs of USP, BP CAS: 99-76-3, MF: C8H8O3, MW 152.15, Assay: min. 98-102%	500 Gms 5 Kg	880.00 8200.00
60905 Part A	Methyl-4-Hydroxybenzoate Sodium Salt (Methyl Paraben Sodium) ExiPlus, 95-102% meets compendial specs of USP, BP CAS: 5026-62-0, MF: C8H7O3Na, MW 174.13, Assay: min.95-102%	500 Gms 5 Kg	975.00 9500.00



76135 Part D	Mueller Kauffman Tetrathionate Novobiocin Broth Base (MKTTn) Used for selective enrichment for the isolation of Salmonella, when used with MKTT Novobiocin Concentration: 89.42supplement.	100 Gms	800.00
		500 Gms	2900.00
72565 Part B	4-Nitrophenyl-N-Acetyl-B-D-Glucosaminide extrapure, 99% (4-Nitrophenyl 2-acetamido-2-deoxy-β-D-glucopyranoside) CAS: 3459-18-5, MF: C14H18N2O8, MW 342.31, Assay min.99% Useful substrate for rapid colorimetric assay of N-acetyl-β-glucosaminidase activity in human urine.	100 Mg	3100.00
		1 Gms	16500.00
31601 Part D	Novobiocin MKTT Supplement Recommended for selective enrichment and isolation of salmonellae.	5 vl	1450.00
94007 Part D	Nutrient Broth w/ 1% Yeast Extract	100 Gms	700.00
		500 Gms	2800.00
23576 Part B	Oil Red O for molecular biology, 75% CAS: 1320-06-5, MF:C26H24N4O, M.W. 408.49, Dye content 75%, Absorption : λmax 359 nm, λmax 518 nm (2nd) (C.I. NO. 26125) (Solvent Red 27, Sudan Red 5B) Suitable for staining lipoproteins separated by cellulose acetate electrophoresis. Can be used with Agarose	25 Gms	600.00
		100 Gms	1900.00
30709 Part B	1,10-Phenanthroline Anhydrous extrapure, 99%, water 2% CAS: 66-71-7, MF:C12H8N2, MW 180.21, Assay : min. 99%, Water max.2%	5 Gms	890.00
		25 Gms	2980.00
		100 Gms	9450.00
53898 Part A	Propyl-4-Hydroxybenzoate (Propyl Paraben) ExiPlus, 98-102% meets compendial specs of USP, BP CAS: 94-13-3, MF:C10H12O3, M.W. 180.21, Assay: min. 98-102%	500 Gms	1100.00
		5 Kg	9800.00
52950 Part A	Propyl-4-Hydroxybenzoate Sodium Salt (Propyl Paraben Salt) ExiPlus, 94-102% meets compendial specs of USP, BP CAS: 35285-69-9, MF: C10H11O3Na, M.W. 202.91, Assay: min. 94-102%	500 Gms	1500.00
		5 Kg	12500.00
38475 Part C	Silicon Monoxide Nanopowder CAS: 10097-28-6, MF: SiO, MW:44.08, Assay: min. 99.99%, APS : 400nm, Black brown powder, CVD Method of preparation (Lithium-ion Battery (LIB) Anode Material)	1 Gms	8100.00
		5 Gms	32000.00
82045	Silicone Oil 330-370 CPS CAS: 63148-62-9,	250 ml	500.00



Part A	MF: [-Si(CH ₃) ₂ O-] _n	1000 ml	1850.00
		2500 ml	4500.00
83627 Part A	Sodium Starch Glycolate ExiPlus meets compendial specs of USP CAS: 9063-38-1, Description:- Fine, White or Off-white free flowing powder, Sodium (Na) content (on dry basis): 2.80-4.20%, Sodium Chloride (NaCl) : max.7%, pH (2% in water): 5.5-7.5 Loss of Drying : max.10% A pharmaceutical grade dissolution excipient for tablets and capsules. Also used as a disintegrant, a suspending agent and as a gelling agent.	500 Gms	500.00
		5 Kg	4500.00
23947 Part A	Trifluoroacetic Acid (TFA) for HPLC & Sequencing, 99.9% CAS: 76-05-1, M.W. C ₂ HF ₃ O ₂ , M.W. 114.02, Assay : min.99.9% Specially formulated for peptide synthesis and protein sequencing applications. Supplied in 1ml ampoules.	10X1 ml	18000.00
41066 Part E	TRIzol-C Reagent Optimized for isolation of pure total RNA in higher yields for downstream processes. Caution - downstream processes with this isolated RNA may interact with metal ions if present.	20 ml	2600.00
		100 ml	6400.00
99359 Part E	TRIzol-T Reagent Optimized for isolation of pure total RNA useful in many downstream processes.	20 ml	2400.00
		100 ml	6200.00

**Thanking You,
For SISCO RESEARCH LABORATORIES PVT.LTD**

DIRECTOR