



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**84903 - 1-Butyl-3-Methylimidazolium
Tetrachloroaluminate (BMIM AlCl₄) extrapure, 95% -
[80432-09-3]**

Batch No

1075703

Analysis Date

08-Jun-2022

Date of Manufacture

June 2022

Expiry Date/Re-Test Date

June 2027

Molecular Formula

C₈H₁₅AlCl₄N₂

Molecular Weight

308.01

Test Parameters	Standards	Actual Results
Appearance (Colour)	Yellow to brown	Yellow
Appearance (Form)	Viscous liquid	Viscous liquid
Assay (HPLC)	min. 95%	99.6%

FRM/82/11/4/84903 Rev No. 2 Date 08/06/2022

Prepared by PPatil

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.