



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	77065 - Palmitic Acid Methyl Ester Reference Standard, 99%(GC) - [112-39-0]
Batch No	1185067
Analysis Date	21-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	C17H34O2
Molecular Weight	270.45

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Fused solid or waxy solid or liquid as melt	Waxy solid
Assay (GC)	min. 99.0%	99.7%
Melting Point	28 - 30°C	30°C

FRM/82/11/4/77065 Rev No. 2 Date 30/08/2022

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.