



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>31162 - Nitenpyram extrapure, 98% - [150824-47-8]</b>
<b>Batch No</b>	<b>1239475</b>
<b>Analysis Date</b>	04-Jan-2023
<b>Date of Manufacture</b>	January 2023
<b>Expiry Date/Re-Test Date</b>	January 2028
<b>Molecular Formula</b>	C11H15ClN4O2
<b>Molecular Weight</b>	270.72

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to light yellow to light orange	Light orange
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (HPLC)	min. 98.0%	99.0%
Melting Point	79 - 85°C	81.2°C
Water (KF)	max. 1.0%	0.1%

FRM/82/11/4/31162 Rev No. 1 Date 01/01/2023

Prepared by PPatil

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001:2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.