



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	21800 - Dimethyl Dichlorosilane (DMDCS) pure, 98% - [75-78-5]
Batch No	1243874
Analysis Date	21-Dec-2022
Date of Manufacture	December 2022
Expiry Date/Re-Test Date	December 2027
Molecular Formula	C ₂ H ₆ Cl ₂ Si
Molecular Weight	129.06

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.84%
Density (g/ml) @ 20°C	1.071-1.073	1.071
Refractive Index (20°C)	1.403-1.405	1.403
Boiling Range	68-70°C	68-70°C

FRM/82/11/2/21800 Rev No. 1 Date 01/11/2015

Prepared by SGavhane

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.