



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	90603 - Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D - [865-49-6]
Batch No	1320864
Analysis Date	02-Jul-2024
Date of Manufacture	July 2024
Expiry Date/Re-Test Date	July 2029
Molecular Formula	CCl3D
Molecular Weight	120.38

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay	min. 99.8% Atom %D	99.8% Atom %D

FRM/82/11/4/90603 Rev No. 1 Date 01/11/2015

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.