



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	12455 - Oxytetracycline Hydrochloride (OTC), 95% - [2058-46-0]
Batch No	1371789
Analysis Date	01-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2028
Molecular Formula	C ₂₂ H ₂₄ N ₂ O ₉ ·HCl
Molecular Weight	496.90

Test Parameters	Standards	Actual Results
Appearance (Colour)	Yellow	Yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (NT)	min. 95%	95.3%
pH (1% aq. solution)	2.3 - 2.9	2.4
Water	max. 2%	2%
Not for medicinal use		

FRM/82/11/4/12455 Rev No. 2 Date 26/03/2023

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.