



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**25793 - TPTZ extrapure AR (2,4,6-Tri-(2-pyridyl)
-5-triazine), 99% - [3682-35-7]**

Batch No

1510928

Analysis Date

04-Jan-2023

Date of Manufacture

January 2023

Expiry Date/Re-Test Date

January 2028

Molecular Formula

C₁₈H₁₂N₆

Molecular Weight

312.34

Test Parameters	Standards	Actual Results
Appearance (Colour)	Off - white to pale yellow	Pale yellow
Appearance (Form)	Powder	Powder
Assay	min. 99%	99.7%
Melting Point	248 - 250°C	249°C
Suitability as reagent for Iron (Fe)	Passes test	Passes

FRM/82/11/4/25793 Rev No. 1 Date 01/11/2015

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company