



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	36459 - Myristic Acid extrapure AR, C14-99% (GC) - [544-63-8]
Batch No	1585553
Analysis Date	04-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2028
Molecular Formula	C14H28O2
Molecular Weight	228.38

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder/Flakes	Flakes
Assay (GC-C14)	min. 99%	99.3%
Melting Point	53 - 55°C	55°C
Sulphated Ash	max. 0.05%	0.02%
Heavy Metals (Pb)	max. 0.001%	Passes

FRM/82/11/4/36459 Rev No. 4 Date 04/02/2023

Prepared by Jayesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.