



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**23049 - Neodymium (III) Chloride Anhydrous, 99.9% -
[10024-93-8]**

Batch No

1597738

Analysis Date

25-Jun-2024

Date of Manufacture

June 2024

Expiry Date/Re-Test Date

June 2029

Molecular Formula

NdCl₃

Molecular Weight

250.60

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off white to Pale Purple to Dark purple	Pale purple
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (EDTA Titration)	min. 99.9%	99.9%

FRM/82/11/4/23049 Rev No. 2 Date 25/06/2024

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)