



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**93119 - Mercuric Thiocyanate extrapure AR, ExiPlus,
Multi-Compendial, 98% - [592-85-8]**

Batch No

1673888

Analysis Date

04-May-2024

Date of Manufacture

May 2024

Expiry Date/Re-Test Date

May 2029

Molecular Formula

Hg(SCN)₂

Molecular Weight

316.75

Test Parameters

Standards

Actual Results

ExiPlus

meets compendial specs of Ph.Eur

Passes

Appearance (Colour)

White

White

Appearance (Form)

Crystalline powder

Crystalline powder

Assay (Complexometric)

min. 98%

99.8%

FRM/82/11/4/93119 Rev No. 3 Date 01/12/2022

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.