



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	51562 - Chlorogenic Acid Hemihydrate extrapure - [6001-76-9]
Batch No	1692259
Analysis Date	24-Sep-2016
Date of Manufacture	September 2016
Expiry Date/Re-Test Date	September 2021
Molecular Formula	C16H18O9.1/2H2O
Molecular Weight	363.32

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to pale yellow	Pale yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 5% solution in methanol	Clear	Clear
Assay	min. 98%	99.2%
Melting Point	205 - 215°C	208 - 209°C

FRM/82/11/4/51562 Rev No. 1 Date 01/11/2015

Prepared by **DeepakSingh**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

an ISO 9001-2008 Certified Company

This COA has been generated electronically and it is valid without signature.