



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	62205 - Uridine extrapure, 99% - [58-96-8]
Batch No	1748266
Analysis Date	06-Nov-2022
Date of Manufacture	November 2022
Expiry Date/Re-Test Date	November 2027
Molecular Formula	C ₉ H ₁₂ N ₂ O ₆
Molecular Weight	244.20

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	Off - white
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (UV)	min.99%	99.5%
Melting Point	166-167°C	167°C
Loss on drying	max.0.5%	0.3%
Heavy Metals (Pb)	max. 0.001%	Passes
Spectral Ratio (A250nm/A260nm)	~0.74	0.74
Spectral Ratio (A280nm/A260nm)	~0.35	0.36

FRM/82/11/4/62205 Rev No. 2 Date 05/11/2022

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001:2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.