



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>12088 - Dichloroacetic Acid pure, 99% - [79-43-6]</b>
<b>Batch No</b>	<b>1797254</b>
<b>Analysis Date</b>	06-Jan-2024
<b>Date of Manufacture</b>	January 2024
<b>Expiry Date/Re-Test Date</b>	January 2029
<b>Molecular Formula</b>	C <sub>2</sub> H <sub>2</sub> Cl <sub>2</sub> O <sub>2</sub>
<b>Molecular Weight</b>	128.94

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (T)	min. 99%	99.58%
Density (g/ml) @ 20°C	1.570-1.575	1.570
Melting Point	9 -11°C	10°C
Water (KF)	max. 0.1%	0.003%

FRM/82/11/2/12088 Rev No. 4 Date 11/01/2024

Prepared by Udit

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.