



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	33434 - DEAE-Dextran Hydrochloride ex. Leuconostoc Sp. - 500 - [9064-91-9]
Batch No	1881366
Analysis Date	23-Nov-2016
Date of Manufacture	November 2016
Expiry Date/Re-Test Date	November 2021
Molecular Weight	500,000 (Avg)

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	Almost white
Appearance (Form)	Powder	Powder
Loss on drying	max. 10%	3.2%
Nitrogen content (N)	3.0 - 3.8%	3.7%
pH (5% aq. solution)	5.0 - 7.0	5.9
Sulphated Ash	max. 2%	1.9%
Free DEAE-Cl	max. 0.002%	Passes

FRM/82/11/4/33434 Rev No. 1 Date 01/11/2015

Prepared by **DeepakSingh**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2008 Certified Company](#)

This COA has been generated electronically and it is valid without signature.