



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	21435 - Hydrobromic Acid pure, 48-49% in water - [10035-10-6]
Batch No	1896662
Analysis Date	06-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	HBr
Molecular Weight	80.92

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Pale yellow fuming	Pale yellow fuming
Appearance (Form)	Liquid	Liquid
Assay (T)	min. 48-49%	48.79%
Density (g/ml) @ 20°C	1.480-1.490	1.490
Non Volatile Matter	max. 0.02%	0.0005%
Chloride (Cl)	max. 0.2%	Passes
Sulphate (SO ₄)	max. 0.02%	Passes
Iron (Fe)	max. 0.0005%	Passes
Heavy Metals (Pb)	max. 0.0005%	Passes

FRM/82/11/2/21435 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.