



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**84990 - Tetrapropylammonium Hydroxide 10% aq.
solution extrapure - [4499-86-9]**

Batch No

1918319

Analysis Date

15-Mar-2021

Date of Manufacture

March 2021

Expiry Date/Re-Test Date

March 2026

Molecular Formula

C₁₂H₂₉NO

Molecular Weight

203.37

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay	~10%	10.23%
Halides (Br)	max. 0.02%	Passes
Sulphate (SO ₄)	max. 0.02%	Passes

FRM/82/11/2/84990 Rev No. 1 Date 01/11/2015

Prepared by **Nilam Halgekar**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.