



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	48960 - EDTA Disodium Salt 0.01M Solution - [6381-92-6]
Batch No	1920772
Analysis Date	25-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2026
Molecular Formula	C ₁₀ H ₁₄ N ₂ O ₈ Na ₂ ·2H ₂ O
Molecular Weight	372.24

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Molarity	0.01 ± 0.0005	0.0100M

FRM/82/11/4/48960 Rev No. 3 Date 21/05/2023

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.