



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	30468 - Ammonium Phosphate Dibasic extrapure ACS, 98% - [7783-28-0]
Batch No	2036854
Analysis Date	04-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	N ₂ H ₉ PO ₄
Molecular Weight	132.06

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (HCl titration)	min. 98%	99.5%
pH (5% aq. solution)	7.7 - 8.1	8.1
Insoluble matter	max. 0.005%	0.001%
Chloride (Cl)	max. 0.001%	Passes
Sulphate (SO ₄)	max. 0.01%	Passes
Iron (Fe)	max. 0.001%	Passes
Heavy Metals (Pb)	max. 0.001%	Passes
Copper (Cu)	max. 0.001%	Passes
Sodium (Na)	max. 0.005%	Passes
Potassium (K)	max. 0.005%	Passes
Nitrate (NO ₃)	max. 0.003%	Passes
Calcium (Ca)	max. 0.001%	Passes
Magnesium (Mg)	max. 0.0005%	Passes

FRM/82/11/4/30468 Rev No. 4 Date 28/12/2023

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.