



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	54364 - 4-Bromoanisole pure, 98% - [104-92-7]
Batch No	2133628
Analysis Date	19-Jul-2022
Date of Manufacture	July 2022
Expiry Date/Re-Test Date	July 2027
Molecular Formula	C7H7BrO
Molecular Weight	187.04

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.9%
Density (g/ml) @ 20°C	1.494 - 1.495 g/ml	1.494 g/ml
Refractive Index (20°C)	1.563 - 1.564	1.563
Melting Point	12 - 14°C	12 °C

FRM/82/11/4/54364 Rev No. 2 Date 07/09/2017

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company