



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **94314 - Ammonium Metavanadate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% - [7803-55-6]**

Batch No **2170158**

Analysis Date 21-Mar-2024

Date of Manufacture March 2024

Expiry Date/Re-Test Date March 2029

Molecular Formula NH₄VO₃

Molecular Weight 116.98

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP	Passes
Appearance (Colour)	White to pale yellow	Pale yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (T)	min. 99%	99.7%
Insoluble matter	max. 0.005%	0.002%
Carbonate (CO ₃)	Passes test	Passes
Solubility in ammonium hydroxide	Passes test	Passes
Chloride (Cl)	max. 0.002%	Passes
Sulphate (SO ₄)	max. 0.005%	Passes
Phosphate (PO ₄)	max. 0.005%	Passes

FRM/82/11/4/94314 Rev No. 2 Date 29/08/2022

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.