



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**84210 - Silica Gel Fumed 200 (Hydrophilic) -
[112945-52-5]**

Batch No

2200655

Analysis Date

14-Feb-2024

Date of Manufacture

February 2024

Expiry Date/Re-Test Date

February 2029

Molecular Formula

SiO₂

Molecular Weight

60.08

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Very light fine powder	Very light fine powder
pH (4% aq. suspension)	3.7 - 5.5	4.49
Loss on drying	max. 7%	1.6%
Specific surface area (m ² /g)	175 - 225 m ² /g	201 m ² /g

FRM/82/11/4/84210 Rev No. 4 Date 14/02/2024

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.