



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	31477 - n-Valeric Acid pure, C5-99% (GC) - [109-52-4]
Batch No	2340908
Analysis Date	16-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	C5H10O2
Molecular Weight	102.13

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC-C5)	min. 99%	99.60%
Density (g/ml) @ 20°C	0.937-0.939	0.937
Refractive Index (20°C)	1.407-1.408	1.408
Boiling Range	184-186°C	Passes

FRM/82/11/2/31477 Rev No. 1 Date 12/23/2017

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.