



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	92315 - Cupric Chloride pure, 98% - [7447-39-4]
Batch No	2349396
Analysis Date	18-Apr-2024
Date of Manufacture	April 2024
Expiry Date/Re-Test Date	April 2029
Molecular Formula	CuCl ₂
Molecular Weight	134.45

Test Parameters	Standards	Actual Results
Appearance (Colour)	Brown	Brown
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% solution 5N HCl	Clear	Clear
Solubility (Colour) 10% solution 5N HCl	Green	Green
Assay (Iodometric)	min. 98%	98.1%
pH (5% aq. solution)	3.0 - 3.8	3.5
Sulphate (SO ₄)	max. 0.05%	Passes
Iron (Fe)	max. 0.005%	Passes

FRM/82/11/4/92315 Rev No. 2 Date 04/07/2022

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.