



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>15068 - Ammonium Metavanadate extrapure AR, 99% - [7803-55-6]</b>
<b>Batch No</b>	<b>2351754</b>
<b>Analysis Date</b>	07-May-2024
<b>Date of Manufacture</b>	May 2024
<b>Expiry Date/Re-Test Date</b>	May 2029
<b>Molecular Formula</b>	NH <sub>4</sub> VO <sub>3</sub>
<b>Molecular Weight</b>	116.98

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to pale yellow	White
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (T)	min. 99%	99.4%
Chloride (Cl)	max. 0.002%	Passes
Sulphate (SO <sub>4</sub> )	max. 0.005%	Passes
Phosphate (PO <sub>4</sub> )	max. 0.005%	Passes

FRM/82/11/4/15068 Rev No. 2 Date 29/08/2022

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.