



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	21136 - Cuprous Chloride ACS, 97% - [7758-89-6]
Batch No	2353208
Analysis Date	12-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	CuCl
Molecular Weight	99.00

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to green (May oxidize to green in air)	Greyish green
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (T)	min. 97%	97.1%
Insoluble in diluted HCl	0.02%	0.01%
Sulphate (SO ₄)	0.1%	Passes
Calcium (Ca)	0.01%	Passes
Iron (Fe)	0.005%	Passes
Potassium (K)	0.02%	Passes
Sodium (Na)	0.05%	Passes

FRM/82/11/4/21136 Rev No. 1 Date 12/03/2024

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.