



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	74315 - Tributylphosphate extrapure, 99% - [126-73-8]
Batch No	2360925
Analysis Date	04-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C ₁₂ H ₂₇ PO ₄
Molecular Weight	266.32

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.78%
Density (g/ml) @ 20°C	0.975-0.976	0.975
Refractive Index (20°C)	1.424-1.425	1.424
Iron (Fe)	max. 0.0001%	Passes
Heavy Metals (Pb)	max. 0.0001%	Passes
Acidity (H ₃ PO ₄)	max. 0.015%	0.0014%
Water (KF)	max. 0.1%	0.04%

FRM/82/11/2/74315 Rev No. 2 Date 13/01/2021

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.