



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>19694 - Palladium (II) Nitrate Dihydrate extrapure, 99%, 40% Pd - [32916-07-7]</b>
<b>Batch No</b>	<b>2404892</b>
<b>Analysis Date</b>	14-Feb-2024
<b>Date of Manufacture</b>	February 2024
<b>Expiry Date/Re-Test Date</b>	February 2029
<b>Molecular Formula</b>	Pd(NO <sub>3</sub> ) <sub>2</sub> .2H <sub>2</sub> O
<b>Molecular Weight</b>	266.44

Test Parameters	Standards	Actual Results
Appearance (Colour)	Brown	Brown
Appearance (Form)	Compound	Compound
Palladium (Pd) content	~40%	40.0%

FRM/82/11/4/19694 Rev No. 1 Date 01/11/2015

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.