



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**66676 - Cerous Chloride Heptahydrate extrapure AR,
99% - [18618-55-8]**

Batch No

2441936

Analysis Date

28-Dec-2022

Date of Manufacture

December 2022

Expiry Date/Re-Test Date

December 2027

Molecular Formula

CeCl₃.7H₂O

Molecular Weight

372.60

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to pale yellow	White
Appearance (Form)	Hygroscopic crystals	Hygroscopic crystals
Assay (EDTA Titration)	min. 99%	99.8%
Sulphate (SO ₄)	max. 0.01%	Passes
Iron (Fe)	max. 0.01%	Passes

FRM/82/11/4/66676 Rev No. 1 Date 01/11/2015

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.