



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	58421 - 1-Bromoheptane pure, 98% - [629-04-9]
Batch No	2543238
Analysis Date	21-Aug-2023
Date of Manufacture	August 2023
Expiry Date/Re-Test Date	August 2028
Molecular Formula	C7H15Br
Molecular Weight	179.11

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.14%
Density (g/ml) @ 20°C	1.137-1.140	1.140
Refractive Index (20°C)	1.450-1.451	1.450
Stabilizer (Ag wire)	Present	Present

FRM/82/11/2/58421 Rev No. 1 Date 01/11/2015

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)