



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	78510 - 5-Fluoroorotic Acid (5-FOA) for molecular biology, 98% - [703-95-7]
Batch No	2560148
Analysis Date	17-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2028
Molecular Formula	C ₅ H ₃ FN ₂ O ₄
Molecular Weight	174.09

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off- white	Off- white
Appearance (Form)	Powder	Powder
Assay	min. 98%	99.9%
Melting Point	252 - 260°C	257.5°C
DNase, RNase, Protease	Not detected	Not detected

FRM/82/11/4/78510 Rev No. 1 Date 10/02/2020

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.