



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	96096 - n-Pentane extrapure, 99% - [109-66-0]
Batch No	2615524
Analysis Date	18-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	C5H12
Molecular Weight	72.15

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.20%
Density (g/ml) @ 20°C	0.625-0.626	0.626
Refractive Index (20°C)	1.357-1.358	1.357
Boiling Range	35-36°C	35-36°C
Non Volatile Matter	max. 0.005%	0.0005%
Acidity (CH3COOH)	max. 0.002%	0.0008%
Water (KF)	max. 0.03%	0.009%

FRM/82/11/2/96096 Rev No. 2 Date 05/03/2016

Prepared by Rganesh

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.