



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	12767 - Dimethyl Sulphoxide (DMSO) GC-HS, 99.9% - [67-68-5]
Batch No	2618193
Analysis Date	11-Jul-2024
Date of Manufacture	July 2024
Expiry Date/Re-Test Date	July 2029
Molecular Formula	C ₂ H ₆ SO
Molecular Weight	78.13

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99.9%	99.97%
Residual solvents		.
GC-HS Class 1	max. 1ppm	Passes
GC-HS Class 2	max. 10ppm	Passes
GC-HS Class 3	max. 50ppm	Passes
Density (g/ml) @ 20°C	1.099-1.101	1.099
Refractive Index (20°C)	1.478-1.479	1.478
Boiling Range	189 -192°C	Passes
Freezing Point	17-18°C	18°C
Non Volatile Matter	max. 0.0001%	0.0001%
Acidity (CH ₃ COOH)	max. 0.001%	0.0009%
Water (KF)	max. 0.05%	0.02%

FRM/82/11/2/12767 Rev No. 2 Date 09/02/2022

Prepared by Sanket

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.