



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	11849 - 5-Bromo-2-Deoxyuridine ExiPlus™, 98% - [59-14-3]
Batch No	2627430
Analysis Date	11-Aug-2018
Date of Manufacture	August 2018
Expiry Date/Re-Test Date	August 2023
Molecular Formula	C ₉ H ₁₁ N ₂ O ₅ Br
Molecular Weight	307.10

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of BP, Ph.Eur	Passes
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Assay	min.98%	99.2%
Melting Point	193 - 197°C	193°C
Sulphated Ash	max.0.1%	0.06%

FRM/82/11/4/11849 Rev No. 1 Date 08/12/2018

Prepared by **Sonali**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2008 Certified Company](#)

This COA has been generated electronically and it is valid without signature.