



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**98063 - Antimony Trioxide extrapure AR, 99% -
[1309-64-4]**

Batch No

2676195

Analysis Date

25-May-2024

Date of Manufacture

May 2024

Expiry Date/Re-Test Date

May 2029

Molecular Formula

Sb₂O₃

Molecular Weight

291.50

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Amorphous powder	Amorphous powder
Assay (Iodometric)	min. 99%	99.2%
Chloride (Cl)	max. 0.05%	Passes
Sulphate (SO ₄)	max. 0.01%	Passes
Iron (Fe)	max. 0.003%	Passes
Heavy Metals (Pb)	max. 0.002%	Passes
Copper (Cu)	max. 0.001%	Passes
Arsenic (As)	max. 0.005%	Passes
Calcium (Ca)	max. 0.005%	Passes
Potassium (K)	max. 0.002%	Passes
Sodium (Na)	max. 0.002%	Passes

FRM/82/11/4/98063 Rev No. 2 Date 06/07/2022

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.