



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	78487 - Butyl Acetate GC-HS, 99.9% - [123-86-4]
Batch No	2879726
Analysis Date	19-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C6H12O2
Molecular Weight	116.16

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99.9%	99.94%
Density (g/ml) @ 20°C	0.880-0.882	0.880
Refractive Index (20°C)	1.394-1.395	1.394
Boiling Range	124-126°C	124-126°C
Non Volatile Matter	max. 0.001%	0.0005%
Acidity (CH3COOH)	max. 0.005%	0.005%
Water	max. 0.1%	0.03%

FRM/82/11/2/78487 Rev No. 1 Date 10/16/2018

Prepared by **Sujit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.