



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	58779 - N,N`-Methylene Bisacrylamide 2% aq. solution for molecular biology - [110-26-9]
Batch No	3004670
Analysis Date	06-Apr-2024
Date of Manufacture	April 2024
Expiry Date/Re-Test Date	April 2026
Molecular Formula	C7H10N2O2
Molecular Weight	154.17

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	liquid	liquid
pH range	5.0 - 8.0	7.7
Specific conductance (25°C)	max. 10 µmho/cm	5.01 µmho/cm
DNase, RNase, Protease	Not detected	Not detected

FRM/82/11/4/58779 Rev No. 1 Date 01/11/2015

Prepared by **ThakurRohit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.