



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	71692 - Pyrrole extrapure, 99% - [109-97-7]
Batch No	3049178
Analysis Date	14-Feb-2024
Date of Manufacture	February 2024
Expiry Date/Re-Test Date	February 2029
Molecular Formula	C4H5N
Molecular Weight	67.09

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Pale yellow to brown	Slight brown
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.99%
Density (g/ml) @ 20°C	0.967-0.969	0.967
Refractive Index (20°C)	1.507-1.508	1.508
Boiling Range	129-131°C	129-131°C

FRM/82/11/2/71692 Rev No. 3 Date 09/08/2022

Prepared by Udit

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.