



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	85445 - Fluorescamine extrapure AR, ExiPlus™, 99% - [38183-12-9]
Batch No	3094734
Analysis Date	16-Jan-2020
Date of Manufacture	January 2020
Expiry Date/Re-Test Date	January 2025
Molecular Formula	C17H10O4
Molecular Weight	278.26

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP, Ph.Eur	Passes
Appearance (Colour)	Off - white to yellow	Off - white
Appearance (Form)	Powder	Powder
Assay	min. 99%	99.9%
Melting Point	155 - 157°C	155 - 157°C

FRM/82/11/4/85445 Rev No. 1 Date 04/28/2018

Prepared by **Sakshee**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.