



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	12183 - Cyclohexylamine pure, 99% - [108-91-8]
Batch No	3106882
Analysis Date	20-Nov-2023
Date of Manufacture	November 2023
Expiry Date/Re-Test Date	November 2028
Molecular Formula	C6H13N
Molecular Weight	99.17

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.96%
Density (g/ml) @ 20°C	0.866-0.868	0.866
Refractive Index (20°C)	1.458-1.459	1.458
Boiling Range	133-134°C	133-134°C

FRM/82/11/2/12183 Rev No. 1 Date 01/11/2015

Prepared by Neena

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.