



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**93940 - Ninhydrin extrapure AR, ACS, ExiPlus,
Multi-Compendial, 99% - [485-47-2]**

Batch No

3112499

Analysis Date

19-Jun-2024

Date of Manufacture

June 2024

Expiry Date/Re-Test Date

June 2029

Molecular Formula

C₉H₆O₄

Molecular Weight

178.14

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of BP, Ph.Eur	Passes
Appearance (Colour)	Pale yellow	Pale yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 1% aq. solution	Clear	Clear
Solubility (Colour) 1% aq. solution	Pale yellow	Pale yellow
Assay (UV)	min. 99%	99.7%
Melting Point (Decomposition)	250 - 255°C	255°C
Sulphated Ash	max. 0.1%	0.07%
Sensitivity to amino acids	Passes test	Passes
Suitability as Reagent for Amino acids	Passes test	Passes

FRM/82/11/4/93940 Rev No. 2 Date 19/06/2024

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.