



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	31255 - Diethylamine pure, 99% - [109-89-7]
Batch No	3120302
Analysis Date	12-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C ₄ H ₁₁ N
Molecular Weight	73.14

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.98%
Density (g/ml) @ 20°C	0.702-0.706	0.702
Refractive Index (20°C)	1.385-1.386	1.385
Boiling Range	55-57°C	55-57°C

FRM/82/11/2/31255 Rev No. 1 Date 01/11/2015

Prepared by Rganesh

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)