



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	20996 - Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D - [865-49-6]
Batch No	3121656
Analysis Date	03-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	CCl3D
Molecular Weight	120.38

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay	min. 99.8 Atom %D	99.9 Atom %D

FRM/82/11/4/20996 Rev No. 1 Date 01/11/2015

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.