



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>54474 - Mecillinam (MCL) extrapure, 95% - [32887-01-7]</b>
<b>Batch No</b>	<b>3163362</b>
<b>Analysis Date</b>	16-Mar-2024
<b>Date of Manufacture</b>	March 2024
<b>Expiry Date/Re-Test Date</b>	March 2029
<b>Molecular Formula</b>	C <sub>15</sub> H <sub>23</sub> N <sub>3</sub> O <sub>3</sub> S
<b>Molecular Weight</b>	325.43

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to Light yellow to Light beige	White
Appearance (Form)	Powder	Powder
Assay (HPLC)	min. 95.0%	99.6%
Water (KF)	max. 1.0%	0.3%

FRM/82/11/4/54474 Rev No. 1 Date 17/03/2024

Prepared by Dhanashree

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.