



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	10408 - Cotrimoxazole (CTX), 95% - [8064-90-2]
Batch No	3179360
Analysis Date	11-Jul-2024
Date of Manufacture	July 2024
Expiry Date/Re-Test Date	July 2029
Molecular Formula	C ₁₄ H ₁₈ N ₄ O ₃ .C ₁₀ H ₁₆ N ₃ O ₃ S
Molecular Weight	543.60

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to pale yellow	White
Appearance (Form)	Crystalline powder	Crystalline powder
Assay	min. 95%	98%

FRM/82/11/4/10408 Rev No. 1 Date 11/02/2020

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.