



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**37524 - Iodine Resublimed AR, ACS, ExiPlus,
Multi-Compendial, 99.8% - [7553-56-2]**

Batch No

3229180

Analysis Date

17-Mar-2024

Date of Manufacture

March 2024

Expiry Date/Re-Test Date

March 2029

Molecular Formula

I₂

Molecular Weight

253.81

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP, Ph.Eur	Passes
Appearance (Colour)	Bluish black	Bluish black
Appearance (Form)	Crystalline scales/balls	Balls
Solubility	Passes test	Passes
Assay (Iodometric)	min. 99.8%	99.9%
Non Volatile Matter	max. 0.005%	Passes
Chlorine & Bromine (Cl)	max. 0.005%	Passes

FRM/82/11/4/37524 Rev No. 3 Date 05/07/2022

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.