



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	30467 - Stannic Chloride anhydrous extrapure, 99% - [7646-78-8]
Batch No	3361245
Analysis Date	25-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	SnCl ₄
Molecular Weight	260.52

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to slight yellow	Slight yellow
Appearance (Form)	Liquid	Liquid
Assay (T)	min. 99%	99.12%
Density (g/ml) @ 20°C	2.22-2.24	2.22

FRM/82/11/2/30467 Rev No. 1 Date 10/03/2017

Prepared by Udit

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.